

## APD70 AppSolution 70

Wall hung single-hole basin 70 cm or suitable for brackets


• with overflow

Complements: **Fixed brackets (ADF)**  
**Adjustable support (ADIR)**  
**Adjustable penumatic support (ADP)**  
**Taps line ONE - NOKE - FOLD - X1 - STIL**


Technical accessories: **Stop & Go drain (PLSG)**  
**CERAMIC Stop & Go drain (PLCE)**  
**Two piece set chrome tap filters (RF026)**

Package dim. **cm** | Weight **24 kg** | Pz. Pallet n°


CE UNI EN 14688 - CL20 Dop-No14688



vista zenitale / zenital view



vista frontale / frontal view



sezione longitudinale / section

sizes in mm

Please consider a 2% tolerance on indicated measurements

## ADF

Fixed brackets suitable for App Solution 70 basin




Complements: AppSolution 70 basin (APD70)



Package dim.

Weight 1,7 kg

Pz. Pallet n° -



sizes in mm

## ADIR



Adjustable support suitable for AppSolution 70 basin

Complements: AppSolution 70 basin (APD70)

Package dim.

Weight 4,8 kg

Pz. Pallet n° -



sizes in mm

## ADP


Adjustable pneumatic support suitable for AppSolution 70 basin

Complements: AppSolution 70 basin (APD70)

Package dim.

Weight **9 kg**

Pz. Pallet n° -



sizes in mm

## AP115S

### Wall hung wc gosilent with front opening

(fixing kit art. 9008 and flow reducer art. RIDFLUGOS included)

Complements: **SLIM** thermosetting seat&cover with front opening (APCW04)  
**SLIM** soft-closing thermosetting seat&cover with front opening (APCW05)  
 Line accessories: TWO - HOOP - FOLD

Technical accessories: **Universal fixing bracket for wall hung wc/bidet (41/P)**

Package dim. cm

Weight 22 kg


Pz. Pallet n°

CE UNI EN 997


Dop-No997




Flaminia does not recommend combining this toilet model with rapid-flow/flushometer systems or traditional high tanks



vista zenitale / zenital view




vista laterale / lateral view



sezione longitudinale / section



art. 9008  
 kit di fissaggio  
 Fischer (in dotazione)  
 Fischer fixing kit  
 (included in the box)



vista retro / back view

sizes in mm

Please consider a 2% tolerance on indicated measurements

## AP115SE

Wall hung wc gosilent with front opening and chrome bidet jet  
(fixing kit art. 9008, flow reducer art. RIDFLUGOS included and kit bidet jet art. ERAS)

Complements: **SLIM** thermosetting seat&cover with front opening (APCW04)  
SLIM soft-closing thermosetting seat&cover with front opening (APCW05)  
Line accessories: TWO - HOOP - FOLD

Technical accessories: Universal fixing bracket for wall hung wc/bidet (41/P)


Package dim. cm

Weight 22 kg


Pz. Pallet n°

UNI EN 997


Dop-No997




Flaminia does not recommend combining this toilet model with rapid-flow/flushometer systems or traditional high tanks




vista zenitale / zenital view



dettaglio erogatore / bidet jet detail



sezione longitudinale / section



vista retro / back view

sizes in mm

Please consider a 2% tolerance on indicated measurements

## AP114S

**Back to wall wc gosilent with S/P trap and front opening**

(drainage connectors art. LK1012 and flow reducer art. RIDFLUGOS included)

Complements: **SLIM thermosetting seat&cover with front opening (APCW04)**  
**SLIM soft-closing thermosetting seat&cover with front opening (APCW05)**  
 Line accessories: **TWO - HOOP - FOLD**

Technical accessories: **Floor fixing kit (9003)**

Package dim. **cm**

Weight **29,6 kg**


Pz. Pallet n°

CE UNI EN 997


Dop-No997




Flaminia does not recommend combining this toilet model with rapid-flow/flushometer systems or traditional high tanks




vista zenitale / zenital view



vista laterale / lateral view




vista retro / back view



da/from 100 a/to 120 mm

sezione longitudinale / section

art. LK1012 (LKR90+LKR40)  
 connessioni di scarico  
 (in dotazione)  
 drainage connector  
 (included in the box)



sezione longitudinale / section

## AP114RS

Back to wall wc PLUS\* gosilent with front opening

(flow reducer art. RIDFLUGOS included)

\* **WARNING:** bends and connectors are on demand

Complements: SLIM thermosetting seat&cover with front opening (APCW04)  
SLIM soft-closing thermos. seat&cover with front opening (APCW05)

Technical accessories:

- \*Kit suitable for wall trap H 230 mm (LKR00)
- \*Kit suitable for floor trap from 50 to 80 mm (LKR90)
- \*Kit suitable for floor trap from 80 to 100 mm (LK8010)
- \*Kit suitable for floor trap from 100 to 120 mm (LK1012)
- \*Kit suitable for floor trap from 120 to 140 mm (LK1214)
- \*Kit suitable for floor trap from 140 to 160 mm (LK1416)
- \*Kit suitable for floor trap from 160 to 180 mm (LKRS)
- \*Kit suitable for floor trap from 180 to 200 mm (LK1820)
- \*Kit suitable for floor trap from 200 to 220 mm (LK2022)
- \*Kit suitable for floor trap from 220 to 340 mm (LK2233)
- Floor fixing kit (9003)

Package dim. cm | Weight 29 kg | Pz. Pallet n°




UNI EN 997


Dop-No997

pag. 1/2


Flaminia does not recommend combining this toilet model with rapid-flow/flushometer systems or traditional high tanks



vista zenitale / zenital view




vista laterale / lateral view



vista retro / back view


**SCARICO A PARETE**  
**PREDISPOSTO PER WC SOSPESO**  
WALL DISCHARGE ARRANGEMENT  
FOR WALL-HUNG WC



da/from 100 a/to 120 mm

sezione longitudinale / section

**SCARICO A PAVIMENTO**  
**PREDISPOSTO DA 5 A 34 CM**  
ARRANGEMENT DISCHARGE  
TO FLOOR FROM 5 TO 34 CM



da/from 50 a/to 340 mm

sezione longitudinale / section

connessioni di scarico  
da acquistare  
separatamente  
drainage connector  
to be purchased separately



## AP114RSE

Back to wall PLUS\* gosilent wc with front opening and bidet jet (flow reducer art. RIDFLUGOS and kit bidet jet art. ERAS included)

\* **WARNING: bends and connectors are on demand**

Complements: SLIM thermosetting seat&cover with front opening (APCW04)  
SLIM soft-closing thermos. seat&cover with front opening (APCW05)

Technical accessories:

- \*Kit suitable for wall trap H 230 mm (LKR00)
- \*Kit suitable for floor trap from 50 to 80 mm (LKR90)
- \*Kit suitable for floor trap from 80 to 100 mm (LK8010)
- \*Kit suitable for floor trap from 100 to 120 mm (LK1012)
- \*Kit suitable for floor trap from 120 to 140 mm (LK1214)
- \*Kit suitable for floor trap from 140 to 160 mm (LK1416)
- \*Kit suitable for floor trap from 160 to 180 mm (LKRS)
- \*Kit suitable for floor trap from 180 to 200 mm (LK1820)
- \*Kit suitable for floor trap from 200 to 220 mm (LK2022)
- \*Kit suitable for floor trap from 220 to 340 mm (LK2233)


Floor fixing kit (9003)




CE UNI EN 997

Dop-No997


pag. 1/2




vista zenitale / zenital view



dettaglio erogatore / bidet jet detail



sezione longitudinale / section




vista retro / back view

sizes in mm

Please consider a 2% tolerance on indicated measurements


## KIT SUITABLE FOR WALL TRAP

### LKR00 (SET: LKR00)




## KIT SUITABLE FOR FLOOR TRAP

### LKR90 (SET: LKR90)




da/ from 50 a/ to 80 mm

### LK8010 (SET: LKR90+LKR20)




da/ from 80 a/ to 100 mm

### LK1012 (SET: LKR90+LKR40)




da/ from 100 a/ to 120 mm

### LK1214 (SET: LKRS+LKR40)




da/ from 120 a/ to 140 mm

### LK1416 (SET: LKRS+LKR20)




da/ from 140 a/ to 160 mm

### LKRS (SET: LKRS)




da/ from 160 a/ to 180 mm

### LK1820 (SET: LKRS+LKR20)




da/ from 180 a/ to 200 mm

### LK2022 (SET: LKRS+LKR40)



da/ from 200 a/ to 220 mm

### LK2233 (SET: LKR90+LKR33)



da/ from 220 a/ to 340\* mm


**ATTENTION: THE DRAINAGE CONNECTORS ARE NOT INCLUDED**

## APCW04


SLIM thermosetting seat&cover with front opening and **quick-release hinges**

Complements: Wall hung wc AppSolution (AP115S)  
Back to wall wc AppSolution (AP114S - AP114RS)


Package dim. **cm** | Weight **2,6 kg** | Pz. Pallet n° -




art. AP114S - AP114RS  
vista zenitale / zenital view



art. AP115S  
vista zenitale / zenital view



art. AP114S - AP114RS  
vista laterale / lateral view




art. AP115S  
vista laterale / lateral view

## APCW05


SLIM soft-closing thermosetting seat&cover with front opening and **quick-release hinges**

Complements: Wall hung wc AppSolution (AP115S)  
Back to wall wc AppSolution (AP114S - AP114RS)


Package dim. cm | Weight 2,6 kg | Pz. Pallet n° -




art. AP114S - AP114RS  
vista zenitale / zenital view



art. AP115S  
vista zenitale / zenital view



art. AP114S - AP114RS  
vista laterale / lateral view



art. AP115S  
vista laterale / lateral view

## AP113S

### Back to wall wc H 48 gosilent with S/P trap

(drainage connectors art. LK1012 and flow reducer art. RIDFLUGOS included)

Complements: **SLIM thermosetting seat&cover with front opening (APCW04)**  
**SLIM soft-closing thermosetting seat&cover with front opening (APCW05)**  
 Line accessories: TWO - HOOP - FOLD

Technical accessories: **Floor fixing kit (9003)**

Package dim. **cm**

Weight **29,6 kg**


Pz. Pallet n°

CE UNI EN 997


Dop-No997




Flaminia does not recommend combining this toilet model with rapid-flow/flushometer systems or traditional high tanks




vista zenitale / zenital view



vista laterale / lateral view




vista retro / back view



da/ from 100 a/ to 120 mm

sezione longitudinale / section

art. LK1012 (LKR90+LKR40)  
 connessioni di scarico  
 (in dotazione)  
 drainage connector  
 (included in the box)



sezione longitudinale / section

sizes in mm

Please consider a 2% tolerance on indicated measurements

## AP113RS

### Back to wall wc H 48 PLUS\* gosilent

(flow reducer art. RIDFLUGOS included)

\* **WARNING:** bends and connectors are on demand

Complements: **SLIM** thermosetting seat&cover with front opening (APCW04)  
**SLIM** soft-closing thermosetting seat&cover with front opening (APCW05)

Technical accessories:

- \*Kit suitable for wall trap H 230 mm (LKR00)
- \*Kit suitable for floor trap from 50 to 80 mm (LKR90)
- \*Kit suitable for floor trap from 80 to 100 mm (LK8010)
- \*Kit suitable for floor trap from 100 to 120 mm (LK1012)
- \*Kit suitable for floor trap from 120 to 140 mm (LK1214)
- \*Kit suitable for floor trap from 140 to 160 mm (LK1416)
- \*Kit suitable for floor trap from 160 to 180 mm (LKRS)
- \*Kit suitable for floor trap from 180 to 200 mm (LK1820)
- \*Kit suitable for floor trap from 200 to 220 mm (LK2022)
- \*Kit suitable for floor trap from 220 to 340 mm (LK2233)
- Floor fixing kit (9003)

Package dim. cm

Weight 29 kg

Pz. Pallet n°


UNI EN 997

Dop-No997


pag. 1/2




Flaminia does not recommend combining this toilet model with rapid-flow/flushometer systems or traditional high tanks



vista zenitale / zenital view




vista laterale / lateral view




vista retro / back view

**SCARICO A PARETE**  
**PREDISPOSTO PER WC SOSPESO**  
 WALL DISCHARGE ARRANGEMENT  
 FOR WALL-HUNG WC



sezione longitudinale / section

**SCARICO A PAVIMENTO**  
**PREDISPOSTO DA 5 A 34 CM**  
 ARRANGEMENT DISCHARGE  
 TO FLOOR FROM 5 TO 34 CM



da/from 50 a/to 340 mm

sezione longitudinale / section

connessioni di scarico da acquistare separatamente  
 drainage connector to be purchased separately

## AP113RSE

Back to wall PLUS\* gosilent wc H 48 and bidet jet  
(flow reducer art. RIDFLUGOS and kit bidet jet art. ERAS included)

\* **WARNING: bends and connectors are on demand**

Complements: Wrapping thermosetting seat&cover (QKCW07)  
SLIM soft-closing thermosetting seat&cover (QKCW09 - APCW10LAT)

Technical accessories:

- \*Kit suitable for wall trap H 230 mm (LKR00)
- \*Kit suitable for floor trap from 50 to 80 mm (LKR90)
- \*Kit suitable for floor trap from 80 to 100 mm (LK8010)
- \*Kit suitable for floor trap from 100 to 120 mm (LK1012)
- \*Kit suitable for floor trap from 120 to 140 mm (LK1214)
- \*Kit suitable for floor trap from 140 to 160 mm (LK1416)
- \*Kit suitable for floor trap from 160 to 180 mm (LKRS)
- \*Kit suitable for floor trap from 180 to 200 mm (LK1820)
- \*Kit suitable for floor trap from 200 to 220 mm (LK2022)
- \*Kit suitable for floor trap from 220 to 340 mm (LK2233)
- Floor fixing kit (9003)

Dim. Imballo cm | Peso 29 kg | Pz. Pallet n°


CE UNI EN 997

Dop-No997


pag. 1/2




Flaminia does not recommend combining this toilet model with rapid-flow/flushometer systems or traditional high tanks




vista zenitale / zenital view



dettaglio erogatore / bidet jet detail



sezione longitudinale / section




vista retro / back view

sizes in mm

Please consider a 2% tolerance on indicated measurements


## KIT SUITABLE FOR WALL TRAP

**LKR00** (SET: LKR00)




## KIT SUITABLE FOR FLOOR TRAP

**LKR90** (SET: LKR90)




da/ from 50 a/ to 80 mm

**LK8010** (SET: LKR90+LKR20)




da/ from 80 a/ to 100 mm

**LK1012** (SET: LKR90+LKR40)




da/ from 100 a/ to 120 mm

**LK1214** (SET: LKRS+LKR40)




da/ from 120 a/ to 140 mm

**LK1416** (SET: LKRS+LKR20)




da/ from 140 a/ to 160 mm

**LKRS** (SET: LKRS)




da/ from 160 a/ to 180 mm

**LK1820** (SET: LKRS+LKR20)




da/ from 180 a/ to 200 mm

**LK2022** (SET: LKRS+LKR40)



da/ from 200 a/ to 220 mm

**LK2233** (SET: LKR90+LKR33)



da/ from 220 a/ to 340\* mm

**ATTENTION: THE DRAINAGE CONNECTORS ARE NOT INCLUDED**



## AP214

### Back to wall single-hole H 50 bidet

• with overflow • without tap hole on demand

Complements: **Taps line** ONE - NOKÉ - SI - FOLD - X1 - STIL  
**Accessories line** TWO - HOOP - FOLD


Technical accessories: **Floor fixing kit** (9003)  
**Short chrome siphon for bidet** (SIFB/CR)  
**Stop & Go drain** (PLSG)  
**CERAMIC Stop & Go drain** (PLCE)  
**Two piece set chrome tap filters** (RF026)

Package dim. **cm**


Weight **kg**

Pz. Pallet n°


CE UNI EN 14528 - CL20 Dop-No14528




vista zenitale / zenital view



vista laterale / lateral view



sezione longitudinale / section



vista retro / back view

sizes in mm

Please consider a 2% tolerance on indicated measurements